

Containers



With its head office in Hong Kong, Kerry Logistics is operating in over 180 cities in more than 25 countries with over 6,000 staff worldwide.

Our business portfolio encompasses contract logistics, international freight forwarding, warehousing, transportation, distribution, trading, merchandising and a wide variety of value-added services.

Kerry Logistics is a member of the Kuok Group which is one of the largest diversified conglomerates in Asia.

Containers



GENERAL PURPOSE

Container	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
20'	6,058 x 2,438 x 2,591mm	5,637 x 2,338 x 2,238mm	2,338 x 2,280mm	33.2cu.m	30,480kg	2,250kg
40'	12,192 x 2,438 x 2,591mm	12,032 x 2,350 x 2,392mm	2,338 x 2,280mm	67.7cu.m	30,480kg	3,700kg
20' - HIGH CUBE	6,058 x 2,438 x 2,896mm	5,898 x 2,350 x 2,697mm	2,338 x 2,585mm	37.4cu.m	30,480kg	2,400kg
40' - HIGH CUBE	12,192 x 2,438 x 2,896mm	12,032 x 2,350 x 2,697mm	2,338 x 2,585mm	76.2cu.m	30,480kg	3,820kg

DOUBLE DOOR

Container	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
20'	6,058 x 2,438 x 2,591mm	5,952 x 2,286 x 2,316mm	2,338 x 2,280mm	32.8cu.m	30,480kg	2,350kg
40'	12,192 x 2,438 x 2,591mm	11,978 x 2,350 x 2,370mm	2,341 x 2,258mm	66.7cu.m	30,480kg	4,050kg
20' - HIGH CUBE	6,058 x 2,438 x 2,896mm	5,844 x 2,350 x 2,697mm	2,338 x 2,585mm	38.0cu.m	30,480kg	2,550kg
40' - HIGH CUBE	12,192 x 2,438 x 2,896mm	11,978 x 2,350 x 2,628mm	2,338 x 2,516mm	74.0cu.m	30,480kg	4,250kg

PALLET WIDE

Container	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
20'	6,058 x 2,438 x 2,591mm	5,952 x 2,426 x 2,392mm	2,338 x 2,280mm	32.8cu.m	30,480kg	2,350kg
40'	12,192 x 2,438 x 2,591mm	12,050 x 2,426 x 2,392mm	2,334 x 2,280mm	66.9cu.m	30,480kg	3,900kg
20' - HIGH CUBE	6,058 x 2,438 x 2,896mm	5,952 x 2,390 x 2,695mm	2,358 x 2,585mm	38.1cu.m	30,480kg	2,500kg
40' - HIGH CUBE	12,192 x 2,438 x 2,896mm	5,952 x 2,390 x 2,695mm	2,358 x 2,585mm	78.7cu.m	30,480kg	4,120kg
45' - HIGH CUBE	13,716 x 2,500 x 2,896mm	13,556 x 2,420 x 2,697mm	2,338 x 2,585mm	88.5cu.m	30,480kg	4,800kg

OPEN TOP

Container	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
20'	6,058 x 2,438 x 2,591mm	5,898 x 2,350 x 2,298mm	2,338 x 2,092mm	31.8cu.m	30,480kg	2,200kg
40'	12,192 x 2,438 x 2,591mm	12,032 x 2,350 x 2,298mm	2,338 x 2,280mm	66.9cu.m	30,480kg	3,990kg
20' - HIGH CUBE	6,058 x 2,438 x 2,896mm	5,898 x 2,350 x 2,697mm	2,338 x 2,585mm	37.4cu.m	30,480kg	2,400kg
40' - HIGH CUBE	12,192 x 2,428 x 2,896mm	12,032 x 2,350 x 2,697mm	2,338 x 2,671mm	75.5cu.m	30,480kg	4,120kg

OPEN HARD TOP

Container	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
20'	6,058 x 2,438 x 2,591mm	5,898 x 2,350 x 2,298mm	2,338 x 2,092mm	31.8cu.m	30,480kg	2,700kg

SIDE & END DOOR OPEN

Container	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
20'	6,058 x 2,438 x 2,591mm	5,898 x 2,287 x 2,301mm	2,114-Rmm / 5,702-5mm x 2,187-Rmm / 2,176-5mm	31.0cu.m	24,000kg	3,200kg

SIDE DOOR OPEN

Container	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
20'	6,058 x 2,438 x 2,591mm	5,952 x 2,286 x 2,316mm	5,655 x 2,239mm	31.5cu.m	20,950kg	3,050kg

2 SIDE & END DOOR OPEN

Container	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
20'	6,058 x 2,438 x 2,591mm	5,898 x 2,224 x 2,301mm	2,114-Rmm / 5,702-5mm x 2,187-Rmm / 2,176-5mm	30.2cu.m	24,000kg	3,750kg

BOTH SIDE DOOR OPEN

Container	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
20'	6,058 x 2,438 x 2,591mm	5,898 x 2,224 x 2,301mm	5,840 x 1,948mm	30.2cu.m	24,000kg	3,900kg

BULK

Container	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
20'	6,058 x 2,438 x 2,591mm	5,844 x 2,350 x 2,357mm	2,340 x 2,277mm	32.4cu.m	30,480kg	2,400kg
40'	12,192 x 2,438 x 2,591mm	11,981 x 2,350 x 2,357mm	2,340 x 2,277mm	66.4cu.m	30,480kg	3,850kg

20' Container - TANK

Weight	4,100kg	4,020kg	3,950kg	3,850kg
Capacity	24,000 litres	23,000 litres	21,000 litres	17,500 litres

FLAT RACK

Flat Rack	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
20'	6,058 x 2,438 x 1,500mm	5,972mm	/	/	30,480kg	2,400kg
40'	12,192 x 2,438 x 2,591mm	12,106mm	/	/	30,480kg	4,400kg

ROLL TRAILER

Roll Trailer	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
20'	6,163 x 2,500 x 800mm	/	/	/	44,130kg	4,130kg
40'	12,346 x 2,500 x 765mm	/	/	/	90,000kg	8,700kg

HALF HEIGHT - OPEN TOP

	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
20'	6,058 x 2,438 x 2,591mm	5,898 x 2,352 x 1,075mm	2,292 x 978mm	14.9cu.m	30,480kg	/
10'	2,981 x 2,438 x 2,591mm	2,903 x 2,286 x 1,115,5mm	/	7.4cu.m	11,130kg	/

REEFER

	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
20'	6,058 x 2,438 x 2,591mm	5,428 x 2,266 x 2,240mm	2,286 x 2,240mm	27.5cu.m	30,480kg	2,800kg
40'	12,192 x 2,438 x 2,591mm	11,561 x 2,266 x 2,240mm	2,280 x 2,205mm	59.3cu.m	30,480kg	4,200kg
40' - HIGH CUBE	12,192 x 2,438 x 2,896mm	11,628 x 2,294 x 2,509mm	2,290 x 2,535mm	66.9cu.m	30,480kg	4,400kg
45' - HIGH CUBE	13,716 x 2,500 x 2,896mm	13,102 x 2,294 x 2,509mm	2,290 x 2,535mm	75.4cu.m	30,480kg	5,400kg

Containers



EXPLOSIVE

	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
20'	6,058 x 2,438 x 2,591mm	5,891 x 2,268 x 2,112mm	5,616 x 2,076mm	28.2cu.m	24,000kg	5,600kg

SPECIAL

Container	External Dimension	Internal Dimension	Door Opening Width & Height	Internal Volume	Max. Gross WT	Tare
53'	16,154 x 2,438 x 2,591mm	15,994 x 2,350 x 2,370mm	2,341 x 2,258mm	89.9cu.m	30,480kg	4,850kg
20' - DOUBLE TEN	6,058 x 2,438 x 2,591mm	5,844 x 2,350 x 2,390mm	2,338 x 2,280mm	32.8cu.m	30,480kg	/
6'	2,438 x 1,950 x 1,760mm	2,287 x 1,884 x 1,565mm	1,854 x 1,480mm	6.7cu.m	4,700kg	700kg
8'	2,750 x 2,250 x 2,200mm	2,599 x 2,162 x 1,959mm	2,145 x 1,845mm	11.0cu.m	4,850kg	850kg
10'	2,991 x 2,438 x 2,591mm	2,831 x 2,350 x 2,390mm	2,342 x 2,280mm	15.9cu.m	10,160kg	1,300kg
10' - SIDE DOOR Container	2,991 x 2,438 x 2,591mm	2,919 x 2,298 x 2,336mm	2,910 x 2,238mm	15.8cu.m	9,500kg	/
12' - SIDE DOOR	3,658 x 2,438 x 2,591mm	3,568 x 2,298 x 2,336mm	2,910 x 2,238mm	19.3cu.m	9,500kg	/

Capacity
 Rating / Max Gross WT
 Tare Weight (Mass)
 Payload
 Marking of Container
 Identification of Container

Internal Cubic Volume
 Weight of Container plus Payload
 Weight of Empty Container
 Weight of Cargo. Calculated from Rating minus Tare Weight (Mass)
 Rating / Tare mass / Payload is marked on its wall & end (rear) door in the case of an end-loading dry cargo container.
 4-letter characters to identify owner / operator & 7-numeric characters to identify the container. These are found on the container outer & inner walls.
 The container number is entered on the bill of lading to facilitate the identification and tracking of the container and the cargo.

Important Note: The above specifications are a general guide for reference reading only. Actual dimensions and loading specifications must be referred to the manufacturer and/or supplier of the containers and parts.

Head Office
 16/F, Kerry Cargo Centre, 55 Wing Kei Road, Kwai Chung, NT, Hong Kong
 Tel: +852 2410 3600 Fax: +852 2480 5958

www.kerrylogistics.com